



Aランプ横断図(その1) S=1:100



NO.10					
種 別	土 質	区 分	左側	右側	
盛土工	土 砂	4.0m≦W	-	-	
	路体盛土	2.5m≦W<4.0m	-	-	
	保護路肩盛土	W<2.5m	-	-	
	土 砂	小規模	0.4	-	
路肩盛土	土 砂	4.0m≦W	-	-	
	土 砂	2.5m≦W<4.0m	-	-	
	土 砂	W<2.5m	0.3	0.3	

舗装工				
種 別		規 格	左側	右側
1号車道舗装	表層	密粒度ギャップAs, t=50	4.50	
	基層	再生粗粒度As, t=50	4.70	
	上層路盤	RM-30, t=100	4.90	
	下層路盤	RC-40, t=150	5.10	
路肩舗装	表層	密粒度ギャップAs, t=50	0.50	2.00
	基層	再生粗粒度As, t=50	0.50	2.46
	下層路盤	RC-30, t=100	0.50	2.36



NO.9					
種 別	土 質	区 分	左側	右側	
盛土工	土 砂	4.0m≦W	-	-	
	路体盛土	2.5m≦W<4.0m	-	-	
	保護路肩盛土	W<2.5m	-	-	
	土 砂	小規模	-	-	
路肩盛土	土 砂	4.0m≦W	-	-	
	土 砂	2.5m≦W<4.0m	-	-	
	土 砂	W<2.5m	-	0.3	

舗装工				
種 別	規 格		左側	右側
1号車道舗装	表層	密粒度ギャップAs, t=50	5.00	
	基層	再生粗粒度As, t=50	5.10	
	上層路盤	RM-30, t=100	5.20	
	下層路盤	RC-40, t=150	5.30	
路肩舗装	表層	密粒度ギャップAs, t=50	-	2.00
	基層	再生粗粒度As, t=50	-	2.46
	下層路盤	RC-30, t=100	-	2.36

参考図 NO.9,NO.10【Aランプ】


工事名	R7徳土 阿南小松島線 小・立江～棚測区画線工事(1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～棚測町(第1分割)		
図面名	Aランプ横断図(その1)		
縮尺	1:100	図面番号	1 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

Aランプ横断図(その2) S=1:100

STA. 271+15. 546
GH=0. 00
FH=9. 176

STA. 271+17. 066
GH=0. 00
FH=9. 207


NO. 12
GH=0. 73 (1. 00)
FH=7. 618



STA. 271+36. 686
GH=0. 00
FH=8. 942

STA. 271+37. 793
GH=0. 00
FH=8. 982

NO. 11
GH=1. 40 (1. 00)
FH=8. 178



種 別		土 質	区 分	左側	右側
盛土工	路体盛土	土 砂	4. 0m≦W	-	-
		"	2. 5m≦W<4. 0m	-	-
		"	W<2. 5m	-	-
	保護路肩盛土	土 砂	小規模	-	-
路肩盛土		土 砂	4. 0m≦W	-	-
		"	2. 5m≦W<4. 0m	-	-
		"	W<2. 5m	-	0. 3


種 別		規 格	左側	右側
1号車道舗装	表層	密粒度ギャップAs, t=50	5. 00	
	基層	再生粗粒度As, t=50	5. 10	
	上層路盤	RM-30, t=100	5. 20	
	下層路盤	RC-40, t=150	5. 30	
路肩舗装	表層	密粒度ギャップAs, t=50	-	2. 00
	基層	再生粗粒度As, t=50	-	1. 90
	下層路盤	RC-30, t=100	-	1. 80

参考図 NO. 11, NO. 12 【Aランプ】

工事名	R 7 徳土 阿南小松島線 小・立江～棚測 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～棚測町 (第 1 分割)		
図面名	Aランプ横断図(その2)		
縮尺	1 : 100	図面番号	2 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

Aランプ横断図(その3) S=1:100

STA. 270+73. 893




NO. 14					
種 別	土 質	区 分	左側	右側	
盛土工 路体盛土	土 砂	4. 0m≦W	1. 9	-	
	"	2. 5m≦W<4. 0m	-	-	
	"	W<2. 5m	-	-	
	保護路肩盛土	小規模	0. 2	-	
路肩盛土	土 砂	4. 0m≦W	-	-	
	"	2. 5m≦W<4. 0m	-	-	
	"	W<2. 5m	0. 2	0. 3	

舗装工				
種 別	規 格	左側	右側	
1号車道舗装	表層	密粒度ギャップAs, t=50	4. 50	
	基層	再生粗粒度As, t=50	4. 70	
	上層路盤	RM-30, t=100	4. 90	
	下層路盤	RC-40, t=150	5. 10	
路肩舗装	表層	密粒度ギャップAs, t=50	0. 50	2. 00
	基層	再生粗粒度As, t=50	0. 50	2. 46
	下層路盤	RC-30, t=100	0. 50	2. 36

No. 1+16. 816
FH=0. 823

STA. 270+95. 200



NO. 13					
種 別	土 質	区 分	左側	右側	
盛土工 路体盛土	土 砂	4. 0m≦W	-	-	
	"	2. 5m≦W<4. 0m	-	-	
	"	W<2. 5m	-	-	
	保護路肩盛土	小規模	-	-	
路肩盛土	土 砂	4. 0m≦W	-	-	
	"	2. 5m≦W<4. 0m	-	-	
	"	W<2. 5m	-	0. 3	

舗装工				
種 別	規 格	左側	右側	
1号車道舗装	表層	密粒度ギャップAs, t=50	5. 00	
	基層	再生粗粒度As, t=50	5. 10	
	上層路盤	RM-30, t=100	5. 20	
	下層路盤	RC-40, t=150	5. 30	
路肩舗装	表層	密粒度ギャップAs, t=50	-	1. 88
	基層	再生粗粒度As, t=50	-	1. 78
	下層路盤	RC-30, t=100	-	1. 68

参考図 NO. 13, NO. 14 【Aランプ】

工事名	R 7 徳土 阿南小松島線 小・立江～櫛淵 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町 (第 1 分割)		
図面名	Aランプ横断図(その3)		
縮尺	1:100	図面番号	3 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

S=1 : 100

Technical drawing of a bridge cross-section. The drawing shows a bridge deck with a 3.04% slope. The total width of the bridge deck is 10576 (10500). The dimensions of the bridge deck are as follows:

Segment	Width	Width (in parentheses)
Left side (from left edge to first vertical line)	1261	(1250)
First segment (between first and second vertical lines)	3525	(3500)
Second segment (between second and third vertical lines)	3525	(3500)
Right side (from third vertical line to right edge)	2264	(2250)

The bridge is supported by two large, rectangular piers. The left pier has a small structure on its left side. The right pier has a small structure on its right side. The bridge deck is shown with a 3.04% slope, indicated by a red arrow pointing to the right.

GH=0.95 (1.00)
FH=3.278

FH=0.823

舗装工			左側	右側
種 別	規 格			
1号車道舗装	表層	密粒度ギャップAs、t=50	4.50	
	基層	再生粗粒度As、t=50	4.70	
	上層路盤	RM-30、t=100	4.90	
	下層路盤	RC-40、t=150	5.10	
路肩舗装	表層	密粒度ギャップAs、t=50	0.50	2.00
	基層	再生粗粒度As、t=50	0.50	2.46
	下層路盤	RC-30、t=100	0.50	2.36

GH=0.99 (1.00)
FH=4.261

FH=0.823

舗装工				
種	別	規 格	左側	右側
1号車道舗装	表層	密粒度ギャップAs、t=50	4.50	
	基層	再生粗粒度As、t=50	4.70	
	上層路盤	RM-30、t=100	4.90	
	下層路盤	RC-40、t=150	5.10	
路肩舗装	表層	密粒度ギャップAs、t=50	0.50	2.25
	基層	再生粗粒度As、t=50	0.50	2.15
	下層路盤	RC-30、t=100	0.50	2.05

NO. 15, NO. 16 【Aランプ[®]】

工事名	R7徳土 阿南小松島線 小・立江～徳島 区画線工事（1）		
路線名	阿南小松島線		
工事箇所	小松島市立江町～徳洲町（第1分割）		
図面名	Aランブ横断図（その4）		
縮尺	1:100	図面番号	4 / 21
会社名			
事業者名	徳島県東部県土整備局（徳島）		

S=1 : 100

STA. 269+96.447



GH=0.71 (1.00)
FH=2.109

STA. 270+15.385



GH=0.77 (1.00)
FH=2.650

No. 4+18.896
FH=0.823

NO. 17		種 別	土 質	区 分	左側	右側
盛土工	路体盛土	土 砂	4. 0m ≤ W	-	-	
		〃	2. 5m ≤ W < 4. 0m	-	-	
	保護路肩盛土	土 砂	W < 2. 5m	-	-	
		土 砂	小規模	-	-	
	路肩盛土	土 砂	4. 0m ≤ W	-	-	
		〃	2. 5m ≤ W < 4. 0m	-	-	
	〃	W < 2. 5m	-	0. 3		

鋪裝工		規 格	左側	右側
1号車道舗装	表層	密粒ギャップAs, t=50	5.23	
	基層	再生粗粒度As, t=50	5.30	
	上層路盤	RM-30, t=100	5.35	
	下層路盤	RC-40, t=150	5.37	
路肩舗装	表層	再生密粒度As, t=50	-	2.23
	基層	再生粗粒度As, t=50	-	2.10
	下層路盤	RC-30, t=100	-	1.95

参考図		NO. 17, NO. 18	【Aランプ】
工事名	R7 徳島 阿南小松島線 小・立江～勘測区画線工事（1）		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～勘測町（第1分割）		
図面名	Aランプ横断面図（その5）		
縮尺	1：100	図面番号	5 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		


Dランプ横断図(その1) S=1:100

NO. 11

種 別	土 質	区 分	左側	右側
掘削	土 砂	オープン	-	-
路体盛土	土 砂	4.0m≦W	-	-
	"	2.5m≦W<4.0m	-	-
	"	W<2.5m	-	-
保護路肩盛土	土 砂	小規模	-	0.1
	土 砂	4.0m≦W	-	-
路肩盛土	"	2.5m≦W<4.0m	-	-
	"	W<2.5m	0.3	0.2

舗装工

種 別	規 格	左側	右側
1号車道舗装	表層 密粒度ギャップAs, t=50	6.43	
	基層 再生粗粒度As, t=50	6.63	
	上層路盤 RM-30, t=100	6.83	
	下層路盤 RC-40, t=150	7.03	
路肩舗装	表層 再生密粒度As, t=50	2.00	0.50
	基層 再生粗粒度As, t=50	2.46	0.50
	下層路盤 RC-30, t=100	2.26	0.50




NO. 10

種 別	土 質	区 分	左側	右側
路体盛土	土 砂	4.0m≦W	-	-
	"	2.5m≦W<4.0m	-	-
	"	W<2.5m	-	-
保護路肩盛土	土 砂	小規模	-	0.1
	土 砂	4.0m≦W	-	-
路肩盛土	"	2.5m≦W<4.0m	-	-
	"	W<2.5m	0.3	0.8

舗装工

種 別	規 格	左側	右側
1号車道舗装	表層 密粒度ギャップAs, t=50	4.51	
	基層 再生粗粒度As, t=50	4.71	
	上層路盤 RM-30, t=100	4.91	
	下層路盤 RC-40, t=150	5.11	
路肩舗装	表層 再生密粒度As, t=50	5.21	0.50
	基層 再生粗粒度As, t=50	5.66	0.50
	下層路盤 RC-30, t=100	5.57	0.50
補足材	RC-30	1.67	




参考図

NO.10, NO.11 【Dランプ】			
工事名	R 7 徳土 阿南小松島線 小・立江～櫛淵 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町 (第 1 分割)		
図面名	Dランプ横断図(その1)		
縮尺	1 : 100	図面番号	6 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		


S=1 : 100

種 別		規 格	左側	右側
1号車道舗装	表層	密粒度ギャップAs, t=50	5.00	
	基層	再生粗粒度As, t=50	5.10	
	上層路盤	RM-30, t=100	5.20	
	下層路盤	RC-40, t=150	5.30	
路肩舗装	表層	再生密粒度As, t=50	2.00	-
	基層	再生粗粒度As, t=50	1.90	-
	下層路盤	RC-30, t=100	1.80	-
	補足材	RC-30	-	-

種 別		規 格		左側	右側
1号車道舗装	表層	密粒度ギャップAs, t=50		4.50	
	基層	再生粗粒度As, t=50		4.70	
	上層路盤	RM-30, t=100		4.90	
	下層路盤	RC-40, t=150		5.10	
路肩舗装	表層	再生密粒度As, t=50	2.00	0.50	
	基層	再生粗粒度As, t=50	3.34	0.50	
	下層路盤	RC-30, t=100	3.24	0.50	
	補足材	RC-30		-	



Dランプ横断図(その3) S=1:100




参考図

NO. 14, NO. 15 【Dランプ】			
工事名	R 7 徳土 阿南小松島線 小・立江～櫛淵 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町 (第 1 分割)		
図面名	Dランプ横断図(その3)		
縮尺	1:100	図面番号	8 / 21
会社名			
事業者名	徳島県東部県土整備局 (徳島)		

S=1 : 100


種 別		土 質	区 分	左側	右側
盛土	路体盛土	土 砂	4.0m≦W	-	-
		"	2.5m≦W<4.0m	-	-
	保護路肩盛土	土 砂	W<2.5m	-	-
		土 砂	小規模	-	-
	路肩盛土	土 砂	4.0m≦W	-	-
		"	2.5m≦W<4.0m	-	-
	"	W<2.5m	0.3	-	

種 別	規 格	左側	右側
1号車道鋪裝	表層 密粒度ギャップAs, t=50	5.00	
	基層 再生粗粒度As, t=50	5.10	
	上層路盤 RM-30, t=100	5.20	
	下層路盤 RC-40, t=150	5.30	
路肩鋪裝	表層 再生密粒度As, t=50	2.00	-
	基層 再生粗粒度As, t=50	1.90	-
	下層路盤 RC-30, t=100	1.80	-
	補足材 RC-30		-



種 別		土 質	区 分	左側	右側
盛土工	路体盛土	土 砂	4.0m≦W	-	-
		"	2.5m≦W<4.0m	-	-
	保護路肩盛土	"	W<2.5m	-	-
		土 砂	小規模	-	-
	路肩盛土	土 砂	4.0m≦W	-	-
		"	2.5m≦W<4.0m	-	-
	"	W<2.5m	0.3	-	

種 別	規 格	左側	右側
1号車道舗装	表層 密粒度ギャップAs, t=50	5.00	
	基層 再生粗粒度As, t=50	5.10	
	上層路盤 RM-30, t=100	5.20	
	下層路盤 RC-40, t=150	5.30	
路肩舗装	表層 再生密粒度As, t=50	2.00	-
	基層 再生粗粒度As, t=50	1.90	-
	下層路盤 RC-30, t=100	1.80	-
	補足材 RC-30		-



参考図


NO. 16, NO. 17 【Dランプ】

工事名	R7 徳島 阿南小松島線 小・立江～櫛測区画線工事（1）		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛測町（第1分割）		
図面名	Dランプ横断面図（その4）		
縮尺	1：100	図面番号	9 / 21
会社名			
事業者名	徳島県東部県土整備局（徳島）		

Dランプ横断図(その5) S=1:100


NO. 19				
種 別	土 質	区 分	左 側	右 側
盛土工	掘削	土 砂 オープン	-	-
	路体盛土	土 砂 4.0m≦W	-	-
		" 2.5m≦W<4.0m	-	-
		" W<2.5m	-	-
	保護路肩盛土	土 砂 小規模	0.1	-
		土 砂 4.0m≦W	-	-
	路肩盛土	" 2.5m≦W<4.0m	0.4	-
		" W<2.5m	-	-

舗装工				
種 別	規 格		左 側	右 側
本線舗装	表層	密粒度ギャップAs, t=50	5.00	
	基層	再生粗粒度As, t=50	5.65	
	上層路盤	RM-30, t=100	5.75	
	下層路盤	RC-40, t=150	5.85	
路肩舗装	表層	再生密粒度As, t=50	2.00	-
	基層	再生粗粒度As, t=50	2.00	-
	下層路盤	RC-30, t=100	2.00	-
	補足材	RC-30		-



NO. 18				
種 別	土 質	区 分	左 側	右 側
盛土工	掘削	土 砂 オープン	-	-
	路体盛土	土 砂 4.0m≦W	-	-
		" 2.5m≦W<4.0m	-	-
		" W<2.5m	-	-
	保護路肩盛土	土 砂 小規模	0.1	-
		土 砂 4.0m≦W	-	-
	路肩盛土	" 2.5m≦W<4.0m	0.4	-
		" W<2.5m	-	-


舗装工				
種 別	規 格		左 側	右 側
本線舗装	表層	密粒度ギャップAs, t=50	5.00	
	基層	再生粗粒度As, t=50	5.65	
	上層路盤	RM-30, t=100	5.75	
	下層路盤	RC-40, t=150	5.85	
路肩舗装	表層	再生密粒度As, t=50	2.00	-
	基層	再生粗粒度As, t=50	2.00	-
	下層路盤	RC-30, t=100	2.00	-
	補足材	RC-30		-



参考図

NO. 18, NO. 19				【Dランプ】	
工事名	R7 徳土 阿南小松島線 小・立江～櫛淵 区画線工事（1）				
路線名等	阿南小松島線				
工事箇所	小松島市立江町～櫛淵町（第1分割）				
図面名	Dランプ横断図（その5）				
縮尺	1：100	図面番号	10 / 21		
会社名					
事業者名	徳島県東部県土整備局（徳島）				

Dランプ横断図(その6) S=1:100




NO. 18

種 別	土 質	区 分	左側	右側
掘削	土 砂	オープン	-	-
盛土工	土 砂	4.0m≦W	-	-
	路体盛土	2.5m≦W<4.0m	-	-
	"	W<2.5m	-	-
	保護路肩盛土	土 砂 小規模	-	-
	土 砂	4.0m≦W	-	-
	路肩盛土	2.5m≦W<4.0m	-	-
	"	W<2.5m	0.3	-

舗装工

種 別	規 格		左側	右側
本線舗装	表層	密粒度ギャップAs, t=50	5.23	
	基層	再生粗粒度As, t=50	5.30	
	上層路盤	RM-30, t=100	5.35	
	下層路盤	RC-40, t=150	5.37	
路肩舗装	表層	再生密粒度As, t=50	2.23	-
	基層	再生粗粒度As, t=50	2.10	-
	下層路盤	RC-30, t=100	1.95	-
	補足材	RC-30	-	-



参考図 NO. 20, NO. 21 【Dランプ】

工事名	R 7 徳土 阿南小松島線 小・立江～櫛淵 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町 (第 1 分割)		
図面名	Dランプ横断図(その6)		
縮尺	1:100	図面番号	11 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

本線横断図(その1) S=1:200

Aランプ
NO. 8+0.154 (STA. 272+00)

種 別	土 質	区 分	左側	右側
路体盛土	土 砂	4.0m≦W	-	-
	"	2.5m≦W<4.0m	-	-
	"	W<2.5m	-	-
保護路肩盛土	土 砂	小規模	-	-
路肩盛土	土 砂	4.0m≦W	-	-
	"	2.5m≦W<4.0m	-	-
	"	W<2.5m	-	0.6

舗装工



種 別	規 格	左側	右側
本線舗装	表層 密粒度ギャップAs, t=50	7.38	
	基層 再生粗粒度As, t=50	7.48	
	上層路盤 再生As安定処理, t=80	7.58	
	下層路盤 RC-40, t=400	7.68	
路肩舗装	表層 密粒度ギャップAs, t=50	-	1.88
	基層 再生粗粒度As, t=50	-	1.78
	下層路盤 RC-30, t=100	-	1.68

Dランプ
NO. 9+4.976 (STA. 272+00)

種 別	土 質	区 分	左側	右側	
盛土工	掘削	土 砂 オープン	-	-	
	路体盛土	土 砂	4.0m≦W	-	-
		〃	2.5m≦W<4.0m	-	-
		〃	W<2.5m	-	-
	保護路肩盛土	土 砂	小規模	-	0.1
路肩盛土	土 砂	4.0m≦W	-	-	
	〃	2.5m≦W<4.0m	-	-	
	〃	W<2.5m	-	0.9	

舗装工

種 別	規 格	左側	右側
本線舗装	表層 密粒度ギャップAs, t=50	4.52	
	基層 再生粗粒度As, t=50	4.72	
	上層路盤 再生As安定処理, t=80	4.92	
	下層路盤 RC-40, t=400	5.12	
路肩舗装	表層 密粒度ギャップAs, t=50	5.93	0.50
	基層 再生粗粒度As, t=50	6.38	0.50
	下層路盤 RC-30, t=100	6.28	0.50
	補足材 RC-30	0.55	



参考図 【A.Dランプ】

工事名	R7徳土 阿南小松島線 小・立江～櫛淵 区画線工事（1）		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町（第1分割）		
図面名	本線横断図(その1)		
縮尺	1:200	図面番号	12 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

S=1 : 200

NO. 7+4. 815 (STA. 272+40)

鋪裝工



鋪裝工



Dランプ
NO. 8+4. 874 (STA. 272+20)

鋪裝工

参考図

【A, Dランプ[®]】

64-2 080

GII-2. 089

FH=2.100

CH-2 100

GH-2. 109

FH=2.108

CH-2 116


 $GN=2.116$

FH=2.116

県道横断図(その2) S=1:100

NO. 5

GH=2.063
FH=2.074




道路土工		NO. 5		
名 称	規 格	左 側	右 側	
掘 削	オープンカット	土 砂	-	-

縁石工 作業土工				
名 称	規 格	左 側	右 側	
床掘り	土 砂	-	-	
埋戻し	小規模	-	-	

舗装工		名 称	左 側	右 側
1号車道舗装	表 層	-	3.90	
	基 層	-	3.90	
	上 層 路 盤	-	3.85	
	下 層 路 盤	-	3.85	
1号歩道舗装	表 層	-	3.38	
	路 盤	-	3.35	
オーバーレイ		表 層	9.11	

NO. 4

GH=2.082
FH=2.082




道路土工		NO. 4		
名 称	規 格	左 側	右 側	
掘 削	オープンカット	土 砂	-	-

縁石工 作業土工				
名 称		規 格	左 側	右 側
床掘り		土砂	-	-
埋戻し		小規模	-	-

舗装工		名 称	左 側	右 側
1号車道舗装	表 層	-	3.91	
	基 層	-	3.91	
	上 層 路 盤	-	3.85	
	下 層 路 盤	-	3.85	
1号歩道舗装	表 層	-	3.38	
	路 盤	-	3.35	
オーバーレイ		表 層	9.59	

NO. 3

GH=2.066
FH=2.091



道路土工		NO. 3		
名 称	規 格	左 側	右 側	
掘 削	オープンカット	土 砂	0.4	-

縁石工 作業土工				
名 称		規 格	左 側	右 側
床掘り		土砂	0.3	-
埋戻し		小規模	0.1	-

舗装工		名 称	左 側	右 側
1号車道舗装	表 層	1.71	3.37	
	基 層	1.71	3.37	
	上 層 路 盤	1.65	3.31	
	下 層 路 盤	1.65	3.31	
1号歩道舗装	表 層	3.25	3.38	
	路 盤	3.18	3.35	
オーバーレイ		表 層	7.48	


参考図 NO. 3～NO. 5 【県道】

工事名	R 7 徳島 阿南小松島線 小・立江～棚瀬 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～棚瀬町 (第 1 分割)		
図面名	県道横断図 (その 2)		
縮尺	1 : 100	図面番号	15 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

県道横断図(その3) S=1:100

NO. 8

GH=2. 074
FH=2. 097




道路土工				NO. 8	
名	称	規 格		左 側	右 側
掘 削	オープンカット	土 砂		-	-

縁石工 作業土工					
名	称	規 格		左 側	右 側
床掘り	土 砂			-	-
埋戻し	小規模			-	-

舗装工					
名 称			左 側	右 側	
1号車道舗装	表 層		-	3.88	
	基 層		-	3.88	
	上 層 路 盤		-	3.88	
	下 層 路 盤		-	3.88	
1号歩道舗装	表 層		-	1.27	
	路 盤		-	1.16	
オーバーレイ		表 層		9.14	

NO. 7

GH=2. 059
FH=2. 081




道路土工				NO. 7	
名	称	規 格		左 側	右 側
掘 削	オープンカット	土 砂		-	-

縁石工 作業土工					
名	称	規 格		左 側	右 側
床掘り	土 砂			-	-
埋戻し	小規模			-	-

舗装工					
名 称			左 側	右 側	
1号車道舗装	表 層		-	3.88	
	基 層		-	3.88	
	上 層 路 盤		-	3.83	
	下 層 路 盤		-	3.83	
1号歩道舗装	表 層		-	3.38	
	路 盤		-	3.35	
オーバーレイ		表 層		9.15	

NO. 6

GH=2. 059
FH=2. 073



道路土工				NO. 6	
名	称	規 格		左 側	右 側
掘 削	オープンカット	土 砂		-	-


縁石工 作業土工					
名	称	規 格		左 側	右 側
床掘り	土 砂			-	-
埋戻し	小規模			-	-

舗装工					
名 称			左 側	右 側	
1号車道舗装	表 層		-	3.88	
	基 層		-	3.88	
	上 層 路 盤		-	3.82	
	下 層 路 盤		-	3.82	
1号歩道舗装	表 層		-	3.38	
	路 盤		-	3.35	
オーバーレイ		表 層		9.62	

参考図 NO. 6~NO. 8 【県道】

工事名	R 7 徳土 阿南小松島線 小・立江～櫛淵区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町 (第 1 分割)		
図面名	県道横断図 (その 3)		
縮尺	1 : 100	図面番号	16 / 21
会社名			
事業者名	徳島県東部県土整備局 (徳島)		

県道横断図(その4) S=1:100




道路土工		NO.11	
名	称	規 格	左 側 右 側
掘 削	オープンカット	土 砂	- -

縁石工 作業土工			
名	称	規 格	左 側 右 側
床掘り	土 砂	-	-
埋戻し	小規模	-	-

舗装工		名	称	左 側	右 側
1号車道舗装	表 層	-	3.87		
	基 層	-	3.97		
	上 層 路 盤	-	4.07		
	下 層 路 盤	-	4.17		
1号歩道舗装	表 層	-	3.38		
	路 盤	-	3.35		
オーバーレイ		表 層	9.63		

NO. 10

GH=2.140
FH=2.154



道路土工		NO.10	
名	称	規 格	左 側 右 側
掘 削	オープンカット	土 砂	- 5.6
		B<2.5	- -
		2.5≤B<4.0	- -
		4.0≤B	- 4.2
路床盛土		B<2.5	- 0.8
		2.5≤B<4.0	- 2.9
		4.0≤B	- -
		B<2.5	- 0.5
路体盛土		2.5≤B<4.0	- 3.0
		4.0≤B	- -


舗装工		名	称	左 側	右 側
1号車道舗装	表 層	-	3.86		
	基 層	-	3.86		
	上 層 路 盤	-	3.80		
	下 層 路 盤	-	3.80		
1号歩道舗装	表 層	-	3.38		
	路 盤	-	3.35		
オーバーレイ		表 層	9.64		

擁壁工 作業土工			
名 称	規 格	左 側	右 側
床掘り	土 砂	-	7.2
埋戻し	最大埋戻幅1m以上4m未満	-	-
	最大埋戻幅1m未満	-	0.3

排水工 作業土工		左 側	右 側
名 称	規 格		
床掘り	土 砂	-	-
埋戻し	最大埋戻幅1m以上4m未満	-	0.8
	最大埋戻幅1m未満	-	-
基面整正	土 砂	-	0.8

NO. 9

GH=2.078
FH=2.121



道路土工		NO.9	
名	称	規 格	左 側 右 側
掘 削	オープンカット	土 砂	- 5.2
		B<2.5	- -
		2.5≤B<4.0	- -
		4.0≤B	- 4.1
路床盛土		B<2.5	- 0.8
		2.5≤B<4.0	- 2.9
		4.0≤B	- -
		B<2.5	- 0.5
路体盛土		2.5≤B<4.0	- 3.0
		4.0≤B	- -

舗装工		名	称	左 側	右 側
1号車道舗装	表 層	-	3.68		
	基 層	-	3.68		
	上 層 路 盤	-	3.63		
	下 層 路 盤	-	3.63		
1号歩道舗装	表 層	-	3.38		
	路 盤	-	3.35		
オーバーレイ		表 層	9.81		

擁壁工 作業土工			
名 称	規 格	左 側	右 側
床掘り	土 砂	-	6.8
埋戻し	最大埋戻幅1m以上4m未満	-	-
	最大埋戻幅1m未満	-	0.4


排水工 作業土工		名 称	規 格	左 側	右 側
床掘り		土 砂		-	-
			最大埋戻幅1m以上4m未満	-	-
埋戻し			最大埋戻幅1m未満	-	0.5
基面整正		土 砂		-	0.7

参考図 NO.9～NO.11【県道】

工事名	R7徳土 阿南小松島線 小・立江～棚瀬 区画線工事(1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～棚瀬町(第1分割)		
図面名	県道横断図(その4)		
縮尺	1:100	図面番号	17 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

県道横断図(その5) S=1:100

NO. 14
GH=2.305
FH=2.318




道路土工		NO. 14		
名	称	規 格	左 側	右 側
掘 削	オープンカット	土砂	-	-

緑石工 作業土工		規 格	左 側	右 側
名	称	規 格	左 側	右 側
床掘り	土砂		-	-
埋戻し	小規模		-	-

舗装工		名 称	左 側	右 側
1号車道舗装	表 層	-	3.88	
	基 層	-	3.88	
	上 層 路 盤	-	3.83	
	下 層 路 盤	-	3.83	
1号歩道舗装	表 層	-	3.38	
	路 盤	-	3.35	
オーバーレイ		表 層	9.61	

NO. 13
GH=2.254
FH=2.277




道路土工		NO. 13		
名	称	規 格	左 側	右 側
掘 削	オープンカット	土砂	-	-

緑石工 作業土工		規 格	左 側	右 側
名	称	規 格	左 側	右 側
床掘り	土砂		-	-
埋戻し	小規模		-	-

舗装工		名 称	左 側	右 側
1号車道舗装	表 層	-	3.88	
	基 層	-	3.88	
	上 層 路 盤	-	3.88	
	下 層 路 盤	-	3.88	
1号歩道舗装	表 層	-	-	
	路 盤	-	-	
オーバーレイ		表 層	9.14	

NO. 12
GH=2.218
FH=2.236



道路土工		NO. 12		
名	称	規 格	左 側	右 側
掘 削	オープンカット	土砂	-	-

緑石工 作業土工		規 格	左 側	右 側
名	称	規 格	左 側	右 側
床掘り	土砂		-	-
埋戻し	小規模		-	-

舗装工		名 称	左 側	右 側
1号車道舗装	表 層	-	3.71	
	基 層	-	3.71	
	上 層 路 盤	-	3.66	
	下 層 路 盤	-	3.66	
1号歩道舗装	表 層	-	3.38	
	路 盤	-	3.35	
オーバーレイ		表 層	9.32	

参考図 NO. 12~NO. 14 【県道】

工事名	R 7 徳土 阿南小松島線 小・立江～棚瀬 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～棚瀬町 (第 1 分割)		
図面名	県道横断図 (その 5)		
縮尺	1 : 100	図面番号	18 / 21
会社名			
事業者名	徳島県東部県土整備局 (徳島)		


※1号街渠橋等の道路左側排水構造物はNo. 12+2m付近の計画を示す。

県道横断図(その6) S=1:100

NO. 17

GH=2. 410

FH=2. 442



道路土工		NO. 17		
名 称	規 格	左 側	右 側	
掘 削	オープンカット	土 砂	0. 4	-


縁石工 作業土工		左 側	右 側
名 称	規 格		
床掘り	土 砂	0. 5	-
埋戻し	小規模	0. 1	-

舗装工		左 側	右 側
名 称			
1号車道舗装	表 層	1. 79	3. 52
	基 層	1. 79	3. 52
	上 層 路 盤	1. 74	3. 46
	下 層 路 盤	1. 74	3. 46
1号歩道舗装	表 層	3. 27	3. 38
	路 盤	3. 20	3. 35
オーバーレイ	表 層	7. 51	

NO. 16

GH=2. 372

FH=2. 401



道路土工		NO. 16		
名 称	規 格	左 側	右 側	
掘 削	オープンカット	土 砂	-	-


縁石工 作業土工		左 側	右 側
名 称	規 格		
床掘り	土 砂	-	-
埋戻し	小規模	-	-

舗装工		左 側	右 側
名 称			
1号車道舗装	表 層	-	3. 89
	基 層	-	3. 89
	上 層 路 盤	-	3. 83
	下 層 路 盤	-	3. 83
1号歩道舗装	表 層	-	3. 38
	路 盤	-	3. 35
オーバーレイ	表 層	9. 61	

NO. 15

GH=2. 344

FH=2. 360



道路土工		NO. 15		
名 称	規 格	左 側	右 側	
掘 削	オープンカット	土 砂	-	-

縁石工 作業土工		左 側	右 側
名 称	規 格		
床掘り	土 砂	-	-
埋戻し	小規模	-	-

舗装工		左 側	右 側
名 称			
1号車道舗装	表 層	-	3. 88
	基 層	-	3. 88
	上 層 路 盤	-	3. 82
	下 層 路 盤	-	3. 82
1号歩道舗装	表 層	-	3. 38
	路 盤	-	3. 35
オーバーレイ	表 層	9. 62	


参考図 NO. 15～NO. 17 【県道】

工事名	R 7 徳土 阿南小松島線 小・立江～櫛淵 区画線工事 (1)		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町 (第 1 分割)		
図面名	県道横断図 (その 6)		
縮尺	1 : 100	図面番号	19 / 21
会社名			
事業者名	徳島県東部県土整備局 (徳島)		

県道横断図(その7) S=1:100


NO. 20

GH=2. 463
FH=2. 552




NO. 19

GH=2.455
FH=2.524



NO. 18

GH=2.444
FH=2.484



道路土工			NO. 20	
名 称		規 格	左 側	右 側
掘 削	オープンカット	土 砂	0.1	-

緑石工 作業土工			
名 称	規 格	左 側	右 側
床掘り	土砂	0.3	-
埋戻し	小規模	0.1	-

舗装工		名 称	左 側	右 側
1号車道舗装	表	層	0.56	-
	基	層	0.56	-
	上	層路盤	0.50	-
	下	層路盤	0.50	-
1号歩道舗装	表	層	3.28	-
	路	盤	3.25	-
オーバーレイ		表 層	6.94	

道 路 土 工		NO. 19		
名 称		規 格	左 側	右 側
掘 削	オープンカット	土 砂	0.2	-

緑石工 作業土工			
名 称	規 格	左 側	右 側
床掘り	土砂	0.3	-
埋戻し	小規模	0.1	-

舗装工			左 側	右 側
名	称			
1号車道舗装	表 層		0.56	1.13
	基 層		0.56	1.13
	上 層 路 盤		0.50	1.07
	下 層 路 盤		0.50	1.07
1号歩道舗装	表 層		3.28	3.38
	路 盤		3.25	3.35
オーバーレイ	表 層		6.95	

道 路 土 工		NO. 18		
名 称		規 格	左 側	右 側
掘 削	オープンカット	土 砂	0.3	-


緑石工 作業土工			
名 称	規 格	左 側	右 側
床掘り	土砂	0.3	-
埋戻し	小規模	0.1	-

舗装工			左 側	右 側
名	称			
1号車道舗装	表 層		0.74	2.32
	基 層		0.74	2.32
	上 層 路 盤		0.68	2.27
	下 層 路 盤		0.68	2.27
1号歩道舗装	表 層		3.27	3.38
	路 盤		3.20	3.35
オーバーレイ	表 層		7.51	

参考図 NO.18~NO.20 【県道】

工事名	R 7 徳島 阿南小松島線 小・立江～柳瀬 区画線工事（1）		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～柳瀬町（第 1 分割）		
図面名	県道横断図（その 7）		
縮尺	1：100	図面番号	20 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		

県道横断図（その8） S=1:100



参考図			
NO. 21【県道】			
工事名	R 7 徳土 阿南小松島線 小・立江～櫛淵 区画線工事（1）		
路線名等	阿南小松島線		
工事箇所	小松島市立江町～櫛淵町（第1分割）		
図面名	県道横断図（その8）		
縮尺	1:100	図面番号	21 / 21
会社名			
事業者名	徳島県東部県土整備局〈徳島〉		